



# KELPEX™

## LIQUID KELP

**0 - 0 - 1**

### GUARANTEED ANALYSIS

Soluble Potash (K <sub>2</sub> O)	1.00%
-----------------------------------	-------

Derived From: Potassium Hydroxide, Kelp extract (*Ecklonia maxima*)

**DENSITY: 8.51 LBS/GAL @ 68°F (20°C)**  
**STORE ABOVE 40°F**

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

### KEEP OUT OF REACH OF CHILDREN

This product does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, observe good industrial hygiene practices. Do not breathe spray. Wash face, hands and skin thoroughly after handling. Wear protective gloves, protective clothing and eye protection. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin with water. IF INHALED: If breathing is difficult, move to fresh air and rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



**Technovation**

Specialized to succeed

**NET WEIGHT: 23.1 LBS (9.6 kg)**  
**42.6 LBS (19.3 kg)**

**NET CONTENTS: 2.5 GALLONS (9.5 Liters)**  
**5 GALLONS (18.9 kg)**

Agri Technovation Inc.  
331 Almahurst Lane  
Nicholasville, 40356  
Kentucky

## **DIRECTIONS FOR USE**

KELPEX™ is a liquid Kelp extract for soil and foliar applications.

KELPEX™ will be influenced by differences in crop varieties, soil and environmental conditions and should be applied under conditions of optimum plant growth. Optimum conditions are defined as adequate humidity, moderate temperatures and adequate soil moisture. Optimum conditions for foliar application to most crops generally occur during early morning or late evening hours.

- Do not apply to crops that are water or heat stressed or in very windy conditions.
- Wear suitable protective clothing when sprayed with other products.
- For best results with this product, the pH of the tank mixture should be between 5 and 6.
- This product can be used for soil and foliar applications. When applied as a foliar spray, crops should have sufficient leaf area to intercept the spray.
- For optimum results KELPEX™ should be used in a plant nutrition program. Recommendations should be based on soil and leaf analyses.
- Use a lower dosage per 100 gal at higher water volumes and a higher dosage per 100 gal at lower spray volumes.
- Where overhead systems are in use, avoid scheduling irrigation directly after application.
- In orchards equipped with micro irrigation systems, spray deposits should not be affected by irrigation.

## **CAUTION**

Do not exceed the appropriate application rates. Consult with your distributor, crop adviser or manufacturer should crop specific programs, or any other information be required around the use of this product.

## **STORAGE & DISPOSAL**

Store product in original container. DO NOT store in excessive cold or heat or direct sunlight. DO NOT reuse container. DO NOT contaminate water, food or feed by storage or disposal. Keep packaging closed, securely fastened and upright. Triple rinse or equivalent and dispose of container in accordance with local, state and federal regulations.

## **APPLICATION RATES**

The rate of application is dependent on the soil fertility and reaction required. The lower rates should be used for maintenance while the higher rates will correct nutritional deficiencies.

### **Soil**

2 – 3 quarts of concentrate per acre. Dilute with water prior to use. Apply through irrigation system or directly. Do not dilute more than 500 parts water to 1 part KELPEX™.

### **Foliar**

Suitable for use with all forms of foliar application systems. For best results, apply when plants have sufficient leaf area. Dilute 1 part KELPEX™ concentrate with 200 parts of water. Apply 1-2 quarts of concentrate per acre.

## **MIXING**

Agitate KELPEX™ well before dilution or use. Always mix KELPEX™ with sufficient quantities of water. Never apply KELPEX™ undiluted. Follow standard tank mixing procedures. Ensure good agitation throughout application.

## **COMPATIBILITY**

It is advisable to do a miscibility test prior to mixing with any other product and to consult with a qualified advisor or distributor.

## **DISCLAIMER**

The manufacturer, importer and seller make no express or implied warranties, including any warranty of merchantability, fitness for a particular purpose, or suitability. The product is sold "AS-IS". All sales are final. In no event will manufacturer, importer and seller have any liability for any damages, whether direct, incidental, special or consequential arising out of or in connection with any duty with respect to the product, including, but not limited to lost profits, lost sales or injury to persons or property. Manufacturer, importer and seller's liability on any claim of any kind, including but not limited to warranty, negligence, strict liability, and any other cause of action, for any loss or damage arising out of, connected with, or resulting from the performance or breach of the terms of sale of any goods, or any related services related to sale, delivery, resale, technical direction, inspection, operation or use of any goods or services or part of those goods or services will in no case exceed the purchase price allocable to the goods or services or part of those goods or services that gives rise to the claim. Manufacturer, importer and seller make no representation whatsoever with regard to whether any goods comply with the Occupational Safety and Health Act (OSHA), the Americans with Disabilities Act (ADA), or any other federal, state or local statute, law, ordinance or ruling. Customer, buyer and user assume all responsibility for use of product.